

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6	(build\$3 or packag\$3) same (software or applicatio\$2 or progra\$2 or componen\$2) same (operating near2 syste\$2) same (serve\$2 or download\$3) and (paramete\$2 same identif\$4 same locatio\$2) and utilit\$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:36
L2	4	(build\$3 or packag\$3) same (software or applicatio\$2 or progra\$2 or componen\$2) same (operating near2 syste\$2) same (paramete\$2 same identif\$4 same locatio\$2) and utilit\$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:36
L3	5	(build\$3 or packag\$3) same (software or applicatio\$2 or progra\$2 or componen\$2) same (operating near2 syste\$2) same ((paramete\$2 or attribut\$2) same identif\$4 same locatio\$2) and utilit\$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:46
L4	4	(software or applicatio\$2 or progra\$2 or componen\$2) same (operating near2 syste\$2) same ((paramete\$2 or attribut\$2) same identif\$4 same locatio\$2) same (prior or before) same (build\$3 or packag\$3) and utilit\$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:41

L5	0	(pre\$build\$3 or pre\$packag\$3) same (software or applicatio\$2 or progra\$2 or componen\$2) same (operating near2 syste\$2) same ((paramete\$2 or attribut\$2) same identif\$4 same locatio\$2) and utilit\$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:48
L6	0	(prebuild\$3 or prepackag\$3) same (software or applicatio\$2 or progra\$2 or componen\$2) same (operating near2 syste\$2) same ((paramete\$2 or attribut\$2) same identif\$4 same locatio\$2) and utilit\$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:48
L7	0	(pre\$build\$3 or pre\$packag\$3) same (software or applicatio\$2 or progra\$2 or componen\$2) same (operating near2 syste\$2) same ((paramete\$2 or attribut\$2) same identif\$4 same locatio\$2) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:49
L8	0	(pre\$build\$3 or pre\$packag\$3) same (software or applicatio\$2 or progra\$2 or componen\$2) same (operating near2 syste\$2) same ((paramete\$2 or attribut\$2) same identif\$4 same locatio\$2) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:49
L9	16	(build\$3 or packag\$3) same (software or applicatio\$2 or progra\$2 or componen\$2) same (operating near2 syste\$2) same ((paramete\$2 or attribut\$2) same identif\$4 same locatio\$2) same (prior or before or previous\$2) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 14:07

L10	16	(build\$3 or packag\$3) same (software or applicatio\$2 or progra\$2 or componen\$2) same (operating near2 syste\$2) same ((paramete\$2 or attribut\$2) same identif\$4 same locatio\$2) same ((directory near2 structur\$2) or prior or before or previous\$2) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 14:08
L11	4	(build\$3 or packag\$3) same (software or applicatio\$2 or progra\$2 or componen\$2) same (operating near2 syste\$2) same ((paramete\$2 or attribut\$2) same identif\$4 same locatio\$2) same ((directory near2 structur\$2) or prior or before or previous\$2) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 14:09
L12	0	(build\$3 or packag\$3) same (software or applicatio\$2 or progra\$2 or componen\$2) same (operating near2 syste\$2) same ((paramete\$2 or attribut\$2) same identif\$4 same locatio\$2) same (directory near2 structur\$2) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 14:09
L13	1	(build\$3 or packag\$3) same (software or applicatio\$2 or progra\$2 or componen\$2) same ((paramete\$2 or attribut\$2) same identif\$4 same locatio\$2) same (directory near2 structur\$2) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 14:12
L14	2	(build\$3 or packag\$3) same (software or applicatio\$2 or progra\$2 or componen\$2) same ((paramete\$2 or attribut\$2) same identif\$4 same locatio\$2) same (directory near2 structur\$2) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 14:12

L15	5	(build\$3 or packag\$3) same (software or applicatio\$2 or progra\$2 or componen\$2) same ((paramete\$2 or attribut\$2) same identif\$4 same locatio\$2) same directory same structur\$2 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 14:13
S1	123	(build\$3 or generat\$3 or compil\$3) same (determin\$3 or check\$3 or verif\$4) same (operating near2 syste\$2) same (serve\$2 or download\$3) same (install\$5) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 08:07
S2	13	(build\$3 or generat\$3 or compil\$3) same (determin\$3 or check\$3 or verif\$4) same (operating near2 syste\$2) same (serve\$2 or download\$3) same (install\$5) same media and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 08:07
S3	107	(build\$3 or generat\$3 or compil\$3) same (determin\$3 or check\$3 or verif\$4) same (operating near2 syste\$2) same (serve\$2 or download\$3) same (install\$5) and (paramete\$2) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 08:08
S4	104	(build\$3 or generat\$3 or compil\$3) same (determin\$3 or check\$3 or verif\$4) same (operating near2 syste\$2) same (serve\$2 or download\$3) same (install\$5) and (paramete\$2) and identifie\$2 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 08:09

S5	78	(build\$3 or generat\$3 or compil\$3) same (determin\$3 or check\$3 or verif\$4) same (operating near2 syste\$2) same (serve\$2 or download\$3) same (install\$5) and (paramete\$2) and identifie\$2 and ((GUI or (graphical near2 user) near2 interface)) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 08:11
S6	78	(build\$3 or generat\$3 or compil\$3) same (determin\$3 or check\$3 or verif\$4) same (operating near2 syste\$2) same (serve\$2 or download\$3) same (install\$5) and (paramete\$2) and (identif\$4 same (applicatio\$2 or software or progra\$2)) and ((GUI or (graphical near2 user) near2 interface)) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 08:13
S7	78	(build\$3 or generat\$3 or compil\$3) same (determin\$3 or check\$3 or verif\$4) same (operating near2 syste\$2) same (serve\$2 or download\$3) same (install\$5) and (paramete\$2) and (identif\$4 same (applicatio\$2 or software or progra\$2)) and ((GUI or (graphical near2 user) near2 interface)) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 08:13
S8	72	(build\$3 or generat\$3 or compil\$3) same (determin\$3 or check\$3 or verif\$4) same (operating near2 syste\$2) same (serve\$2 or download\$3) same (install\$5) and (paramete\$2) and (identif\$4 same (applicatio\$2 or software or progra\$2)) and ((GUI or (graphical near2 user) near2 interface)) and utilit\$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 08:14

S9	72	(build\$3 or generat\$3 or compil\$3) same (determin\$3 or check\$3 or verif\$4) same (operating near2 syste\$2) same (serve\$2 or download\$3) same (instal\$6) and (paramete\$2) and (identif\$4 same (applicatio\$2 or software or progra\$2)) and ((GUI or (graphical near2 user) near2 interface)) and utilit\$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 08:15
S10	72	(build\$3 or generat\$3 or compil\$3) same (determin\$3 or check\$3 or verif\$4) same (operating near2 syste\$2) same (serve\$2 or download\$3) same (instal\$6) and (paramete\$2) and (identif\$4 same (applicatio\$2 or software or progra\$2)) and ((GUI or (graphical near2 user) near2 interface)) and media and utilit\$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 08:17
S11	72	(build\$3 or generat\$3 or compil\$3) same (determin\$3 or check\$3 or verif\$4) same (operating near2 syste\$2) same (serve\$2 or download\$3) same (instal\$6) and (paramete\$2) and (identif\$4 same (applicatio\$2 or software or progra\$2)) and versio\$2 and ((GUI or (graphical near2 user) near2 interface)) and media and utilit\$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 08:19
S12	14	(build\$3 or generat\$3 or compil\$3) same (determin\$3 or check\$3 or verif\$4) same (operating near2 syste\$2) same (serve\$2 or download\$3) same (instal\$6) same (process\$2) and (paramete\$2) and (identif\$4 same (applicatio\$2 or software or progra\$2)) and versio\$2 and ((GUI or (graphical near2 user) near2 interface)) and media and utilit\$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 08:18

S13	9	(build\$3 or generat\$3 or compil\$3) same (determin\$3 or check\$3 or verif\$4) same (operating near2 syste\$2) same (serve\$2 or download\$3) same (instal\$6) and (paramete\$2) and (identif\$4 same (applicatio\$2 or software or progra\$2)) and versio\$2 and ((GUI or (graphical near2 user) near2 interface)) and media and utilit\$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 08:37
S14	9	(build\$3 or packag\$3) same (software or applicatio\$2 or progra\$2 or componen\$2) same (determin\$3 or check\$3 or verif\$4) same (operating near2 syste\$2) same (serve\$2 or download\$3) same (instal\$6) and (paramete\$2) and (identif\$4) and versio\$2 and ((GUI or (graphical near2 user) near2 interface)) and media and utilit\$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 08:51
S15	6	(build\$3 or packag\$3) same (software or applicatio\$2 or progra\$2 or componen\$2) same (determin\$3 or check\$3 or verif\$4) same (operating near2 syste\$2) same (serve\$2 or download\$3) same (instal\$6) and (paramete\$2) and (identif\$4) and versio\$2 and ((GUI or (graphical near2 user) near2 interface)) and media and utilit\$3 and (command near2 lin\$2) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 09:01

S16	16	(build\$3 or packag\$3) same (software or applicatio\$2 or progra\$2 or componen\$2) same (determin\$3 or check\$3 or verif\$4) same (operating near2 syste\$2) same (serve\$2 or download\$3) same (instal\$6) and (paramete\$2) and (identif\$4) and versio\$2 and ((GUI or (graphical near2 user) near2 interface)) and media and utilit\$3 and (command near2 lin\$2) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 11:06
S17	0	(build\$3 or packag\$3) same (software or applicatio\$2 or progra\$2 or componen\$2) same (operating near2 syste\$2) same (serve\$2 or download\$3) same (instal\$6) same (paramete\$2) same (command near2 lin\$2) and utilit\$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 11:08
S18	0	(build\$3 or packag\$3) same (software or applicatio\$2 or progra\$2 or componen\$2) same (operating near2 syste\$2) same (serve\$2 or download\$3) same (paramete\$2) same (command near2 lin\$2) and utilit\$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 11:08
S19	89	(build\$3 or packag\$3) same (software or applicatio\$2 or progra\$2 or componen\$2) same (operating near2 syste\$2) same (serve\$2 or download\$3) and (paramete\$2) and (command near2 lin\$2) and utilit\$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 11:09

S20	24	(build\$3 or packag\$3) same (software or applicatio\$2 or progra\$2 or componen\$2) same (operating near2 syste\$2) same (serve\$2 or download\$3) and (paramete\$2) and (command near2 lin\$2) and utilit\$3 and (@ad<"20001221" or @riad<"20001221" or @prad<"20001221") and "717"/\$. ccis.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:30
-----	----	---	---	----	-----	------------------